


PVC-U fittinguri pentru lipire cu solvent Standard metric


Cot 90° PVC-U metric



d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
16		16	RV0GOI160	80	320	0.32	14.0	9	22
20		16	RV0GOI200	80	160	0.35	16.0	11	26
25		16	RV0GOI250	80	160	0.39	19.0	14	32
32		16	RV0GOI320	10	80	0.49	22.0	17	40
40		16	RV0GOI400	65	-	0.80	26.0	21	51
50		16	RV0GOI500	80	-	1.07	31.0	26	61
63		16	RV0GOI630	40	-	1.60	38.0	33	75
75	2 ½	16	RV0GOI750	50	-	3.61	44.0	39	89
90		16	RV0GOI900	30	-	5.21	51.0	47	106
110		16	RV0GOI910	17	-	8.21	61.0	57	129
125		16	RV0GOI920	12	-	13.75	69.0	66	145
140	5	16	RV0GOI930	8	-	19.27	76.0	72	163
160		16	RV0GOI940	5	-	24.96	86.0	82	190
200		16	RV0GOI960	28	-	65.16	106.0	102	228
225		10	RV0GOI970	18	-	94.73	119.0	115	255
250		10	RV0GOI980	10	-	153.14	131.0	188	286
315		10	RV0GOI991	5	-	299.93	164.0	239	358

PF 2 01 950 010

Cot 90° T/M PVC-U metric




d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	L1 [mm]	Z [mm]	E [mm]
50	16	RV0GPI500	75	-	1.25	31	31	26	61
63	16	RV0GPI630	40	-	1.85	38	38	33	75

PF 2 01 950 010






Cot 45° PVC-U metric




d [mm]	PN	d [inch]	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
16	16		RV0GYI160	100	400	0.51	14.0	5.0	23
20	16		RV0GYI200	100	300	0.57	16.0	5.0	28
25	16		RV0GYI250	100	200	0.58	19.0	6.0	34
32	16		RV0GYI320	10	100	0.78	22.0	8.0	42
40	16		RV0GYI400	80	-	1.01	26.0	10.0	51
50	16		RV0GYI500	100	-	1.21	31.0	12.0	61
63	16		RV0GYI630	50	-	1.87	38.0	14.0	75
75	16	2 1/2	RV0GYI750	65	-	3.67	44.0	17.0	89
90	16		RV0GYI900	40	-	5.03	51.0	20.0	106
110	16		RV0GYI910	22	-	9.10	61.0	24.0	129
125	16		RV0GYI920	14	-	13.27	69.0	27.0	145
140	16	5	RV0GYI930	8	-	18.93	76.0	31.0	163
160	16		RV0GYI940	6	-	22.57	86.0	35.0	185
200	16		RV0GYI960	30	-	43.46	106.0	43.0	228
225	10		RV0GYI970	24	-	73.86	119.0	49.0	255
250	10		RV0GYI980	1	-	119.24	131.0	58.0	287
315	10		RV0GYI991	1	-	234.55	164.0	66.0	360

PF 2 01 950 010




Mufa PVC-U metric



d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
16		16	RV0MAI160	100	500	0.32	14.0	3	22
20		16	RV0MAI200	100	300	0.28	16.0	3	26
25		16	RV0MAI250	100	200	0.32	19.0	3	32
32		16	RV0MAI320	10	130	0.37	22.0	3	40
40		16	RV0MAI400	100	-	0.56	26.0	3	48
50		16	RV0MAI500	60	-	0.65	31.0	3	60
63		16	RV0MAI630	70	-	0.95	38.0	3	74
75	2 1/2	16	RV0MAI750	48	-	2.16	44.0	4	89
90		16	RV0MAI900	50	-	3.12	51.0	5	106
110		16	RV0MAI910	36	-	4.30	61.0	6	129
125		16	RV0MAI920	24	-	8.63	69.0	7	145
140	5	16	RV0MAI930	14	-	10.74	76.0	8	162
160		16	RV0MAI940	9	-	13.68	86.0	8	184
200		16	RV0MAI960	4	-	26.88	106.0	10	227
225		10	RV0MAI970	2	-	41.08	119.0	10	252
250		10	RV0MAI980	1	-	88.49	131.0	10	287
315		10	RV0MAI991	1	-	149.87	164.0	12	355

PF 2 01 950 010






PF 2 01 950 010

Cot pe trei directii PVC-U metric

d [mm]	PN	Cod	SP	GP	P.U.(EUR)	E [mm]	L [mm]	Z [mm]	
50	16	RV0GTI500	50	-	2.59	61	31	26	
63	16	RV0GTI630	25	-	3.73	75	38	33	




PF 2 01 950 010

Teu 90° PVC-U metric

d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]	
16		16	RV0TII160	100	300	0.34	14	9	22	
20		16	RV0TII200	100	200	0.44	16	11	26	
25		16	RV0TII250	10	100	0.52	19	14	32	
32		16	RV0TII320	10	130	0.62	22	17	40	
40		16	RV0TII400	45	-	1.22	26	21	51	
50		16	RV0TII500	50	-	1.49	31	26	61	
63		16	RV0TII630	25	-	2.31	38	33	75	
75	2 ½	16	RV0TII750	35	-	4.23	44	39	89	
90		16	RV0TII900	20	-	6.67	51	47	106	
110		16	RV0TII910	14	-	10.09	61	57	129	
125		16	RV0TII920	8	-	17.53	69	66	148	
140	5	16	RV0TII930	6	-	24.35	76	72	163	
160		16	RV0TII940	4	-	31.66	86	82	190	
200		16	RV0TII960	20	-	74.09	106	102	228	
225		10	RV0TII970	15	-	92.24	119	115	255	
250		10	RV0TII980	1	-	188.14	131	128	286	
315		10	RV0TII991	1	-	349.02	161	162	360	



Teu redus 90° PVC-U metric



d-d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	E1 [mm]	E2 [mm]
20 - 16	16	RV0TRI20A	100	200	0.14	16	14	11	11	28.0	23.0
25 - 16	16	RV0TRI25A	10	120	0.52	19	14	14	14	34.0	23.0
25 - 20	16	RV0TRI25B	10	120	0.46	19	16	14	14	34.0	28.0
32 - 16	16	RV0TRI32A	10	140	0.68	22	14	17	17	42.0	23.0
32 - 20	16	RV0TRI32B	10	140	0.72	22	16	17	17	42.0	28.0
32 - 25	16	RV0TRI32C	10	140	0.72	22	19	17	17	42.0	34.0
40 - 20	16	RV0TRI40B	100	-	1.12	26	16	21	21	51.0	28.0
40 - 25	16	RV0TRI40C	100	-	1.24	26	19	21	21	51.0	34.0
40 - 32	16	RV0TRI40D	100	-	1.23	26	22	21	21	51.0	42.0
50 - 20	16	RV0TRI50B	50	-	2.54	31	16	26	26	61.0	28.0
50 - 25	16	RV0TRI50C	50	-	1.60	31	19	26	26	61.0	34.0
50 - 32	16	RV0TRI50D	50	-	1.60	31	22	26	26	61.0	42.0
50 - 40	16	RV0TRI50E	50	-	1.60	31	26	26	26	61.0	51.0
63 - 20	16	RV0TRI63B	30	-	2.32	38	16	33	33	75.0	28.0
63 - 25	16	RV0TRI63C	30	-	3.94	38	19	33	33	75.0	34.0
63 - 32	16	RV0TRI63D	30	-	2.50	38	22	33	33	75.0	42.0
63 - 40	16	RV0TRI63E	30	-	2.50	38	26	33	33	75.0	51.0
63 - 50	16	RV0TRI63F	30	-	2.43	38	31	33	33	75.0	61.0
75 - 32	16	RV0TRI75D	18	-	4.25	44	22	39	39	89.0	42.0
75 - 40	16	RV0TRI75E	45	-	4.25	44	26	39	39	89.0	51.0
75 - 50	16	RV0TRI75F	18	-	20.38	44	31	39	39	89.0	61.0
75 - 63	16	RV0TRI75G	30	-	20.38	44	38	39	39	89.0	75.0
90 - 40	16	RV0TRI90E	30	-	6.30	51	26	47	47	106.0	61.0
90 - 50	16	RV0TRI90F	28	-	6.30	51	31	47	47	106.0	61.0
90 - 63	16	RV0TRI90G	24	-	35.18	51	38	47	47	106.0	75.0
90 - 75	16	RV0TRI90H	24	-	35.18	51	44	47	47	106.0	89.0
110 - 50	16	RV0TRI91F	16	-	9.66	61	31	57	57	129.0	61.0
110 - 63	16	RV0TRI91G	16	-	9.66	61	38	57	57	129.0	75.0
110 - 75	16	RV0TRI91H	16	-	9.66	61	44	57	57	129.0	89.0
110 - 90	16	RV0TRI91I	14	-	57.37	61	51	57	57	129.0	106.0
125 - 63	16	RV0TRI92G	9	-	24.24	69	38	66	66	148.0	75.0
125 - 90	16	RV0TRI92I	9	-	24.24	69	51	66	66	148.0	106.0
125 - 110	16	RV0TRI92L	8	-	24.24	69	61	66	66	148.0	129.0
160 - 90	16	RV0TRI94I	4	-	35.39	86	51	82	82	190.0	106.0
160 - 110	16	RV0TRI94L	4	-	189.49	86	61	82	82	190.0	129.0

PF 2 01 950 010

Teu colector PVC-U metric



E x D1 x D2 [mm]	PN	Cod	SP	GP	P.U.(EUR)
90 x 63 x 40	16	RV0TDI900	18	-	8.02
140 x 110 x 50	16	RV0TDI930	6	-	29.20

E x D1 x D2 [mm]	E [mm]	E1 [mm]	E2 [mm]	D [mm]	D1 [mm]	D2 [mm]	Z [mm]	Z1 [mm]	Z2 [mm]	L [mm]	L2 [mm]	L3 [mm]	L4 [mm]
90 x 63 x 40	90	75.0	50.0	75	63	40	39	58	51	44	31	26	46
140 x 110 x 50	140	125.0	63.0	125	110	50	47	47	79	61	38	31	75

E x D1 x D2 [mm]	L5 [mm]	L6 [mm]
90 x 63 x 40	44	38
140 x 110 x 50	61	61

PF 2 01 950 010






Adaptor cruce PVC-U metric

E x D2 x D3 [mm]	PN	Cod	SP	GP	P.U.(EUR)
90 x 63 x 40	16	RVOTCI900	12	-	10.31

E x D2 x D3 [mm]	E [mm]	E1 [mm]	E2 [mm]	E3 [mm]	D [mm]	D1 [mm]	D2 [mm]	D3 [mm]	Z [mm]	Z1 [mm]	z2 [mm]	z3 [mm]	L [mm]
90 x 63 x 40	90	75.0	75.0	50.0	75	63	63	40	39	58	51.5	60	44

E x D2 x D3 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	L4 [mm]	L5 [mm]	L6 [mm]
90 x 63 x 40	38	46	31	26	53	38




PF 2 01 950 010



Cruce 90° PVC-U metric



d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	D [mm]
20	16	RVOCRI200	120	-	2.43	16	11	27.5
25	16	RVOCRI250	80	-	2.88	19	14	33.5
32	16	RVOCRI320	130	-	2.85	22	17	42.0
40	16	RVOCRI400	35	-	4.78	26	21	51.0
50	16	RVOCRI500	35	-	5.52	31	26	61.0
63	16	RVOCRI630	18	-	7.61	38	33	75.0
75	10	RVOCRI750	24	-	16.09	44	40	91.0
90	10	RVOCRI900	18	-	24.16	51	46	106.0
110	10	RVOCRI910	9	-	46.36	61	56	129.5



PF 2 01 950 013




Mufa redusa PVC-U metric



d-d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	E1 [mm]	E2 [mm]
20 - 16	16	RV0MRI20A	270	-	0.41	16	14	6	28.0	23.0
25 - 20	16	RV0MRI25B	200	-	0.49	19	16	6	34.0	28.0
32 - 25	16	RV0MRI32C	150	-	0.69	22	19	6	42.0	34.0
40 - 32	16	RV0MRI40D	100	-	0.86	26	22	6	51.0	42.0
50 - 40	16	RV0MRI50E	60	-	1.52	31	26	6	61.0	51.0
63 - 50	16	RV0MRI63F	70	-	2.26	38	31	6	75.0	61.0
75 - 63	16	RV0MRI75G	50	-	2.95	44	38	4	89.0	75.0
90 - 75	16	RV0MRI90H	42	-	5.78	51	44	5	106.0	89.0
110 - 90	16	RV0MRI91I	48	-	6.86	61	51	6	129.0	106.0
125 - 110	16	RV0MRI92L	22	-	11.15	69	61	24	145.0	129.0
140 - 110	16	RV0MRI93L	18	-	10.55	76	61	25	160.0	129.0
140 - 125	16	RV0MRI93M	16	-	11.60	76	69	19	160.0	145.0
160 - 110	16	RV0MRI94L	12	-	17.72	86	61	24	181.0	130.0
160 - 140	16	RV0MRI94N	9	-	17.72	86	76	8	184.0	162.0
200 - 160	16	RV0MRI96O	6	-	38.73	106	86	24	227.0	184.0
225 - 200	10	RV0MRI97Q	4	-	40.09	119	106	10	255.0	227.0

PF 2 01 950 010


Curba 90° PVC-U metric



d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
20		16	RV0CUI200	160	-	2.59	16	40	29
25		16	RV0CUI250	100	-	3.05	19	50	36
32		16	RV0CUI320	50	-	3.87	22	64	43
40		16	RV0CUI400	60	-	5.18	26	80	54
50		16	RV0CUI500	60	-	7.34	31	100	61
63		16	RV0CUI630	30	-	9.68	38	126	76
75	2 ½	16	RV0CUI750	20	-	19.46	44	150	94
90		16	RV0CUI900	12	-	26.50	51	180	113
110		16	RV0CUI910	6	-	38.36	61	220	137

PF 2 01 950 013

Capac PVC-U metric




d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	E [mm]
16		16	RV0CAI160	100	600	0.25	14.0	22	22
20		16	RV0CAI200	100	500	0.30	16.0	26	26
25		16	RV0CAI250	100	400	0.31	19.0	30	32
32		16	RV0CAI320	100	200	0.37	22.0	33	40
40		16	RV0CAI400	100	-	0.55	26.0	41	51
50		16	RV0CAI500	80	-	0.80	31.0	46	61
63		16	RV0CAI630	50	-	1.12	38.0	55	75
75	2 ½	16	RV0CAI750	25	-	2.13	44.0	64	89
90		16	RV0CAI900	20	-	2.84	51.0	73	106
110		16	RV0CAI910	25	-	4.13	61.0	87	129
125		16	RV0CAI920	36	-	8.89	69.0	98	145
140	5	16	RV0CAI930	30	-	12.60	76.0	108	162
160		16	RV0CAI940	18	-	13.64	86.0	123	182
200		16	RV0CAI960	8	-	23.31	106.0	149	228
225		10	RV0CAI970	6	-	54.38	119.0	165	256

PF 2 01 950 010



Olandez cu o-ring PVC-U metric



d [mm]	d [inch]	PN	EPDM Cod	SP	GP	P.U.(EUR)	L [mm]	Z1 [mm]	Z2 [mm]	E [mm]	F [inch]
16		16	RV0BOI160	100	300	1.11	14.0	3	10	34	¾
20		16	RV0BOI200	100	200	1.36	16.0	3	10	42	1
25		16	RV0BOI250	10	100	1.63	19.0	3	10	52	1 ¼
32		16	RV0BOI320	10	60	1.80	22.0	3	10	59	1 ½
40		16	RV0BOI400	100	-	2.42	26.0	3	12	73	2
50		16	RV0BOI500	60	-	3.16	31.0	3	14	82	2 ¼
63		16	RV0BOI630	36	-	4.18	38.0	3	18	100	2 ¾
75	2 ½	16	RV0BOI750	10	-	11.15	44.0	3	18	119	3 ½
90		16	RV0BOI900	15	-	18.50	51.0	5	18	134	4

PF 2 01 950 010

Piulita pentru olandez PVC-U

Compatibil cu BOI/BOF/BOP



d [mm]	PN	Code	SP	GP	P.U.(EUR)	d [mm]	H [mm]	F [inch]	E [mm]
16	16	RV0BGO160	450	-	0.41	22.1	21	¾	34
20	16	RV0BGO200	400	-	0.44	27.6	23	1	42
25	16	RV0BGO250	170	-	0.52	36.1	25	1 ¼	52
32	16	RV0BGO320	180	-	0.71	41.6	27	1 ½	59
40	16	RV0BGO400	100	-	0.90	53.1	30	2	72
50	16	RV0BGO500	125	-	1.11	59.1	34	2 ¼	79
63	16	RV0BGO630	100	-	1.66	74.1	38	2 ¾	96
75	16	RV0BGO750	50	-	5.21	92.6	45	3 ½	119
90	16	RV0BGO900	80	-	6.11	105.1	52	4	134
110	16	RV0BGO910	50	-	7.15	129.2	60	5	163

PF 2 01 950 010

Mufa pentru olandez PVC-U


Compatibil cu BOI




d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	F [inch]
16		16	RV0BFI160	600	-	0.41	14.0	10.0	¾
20		16	RV0BFI200	350	-	0.49	16.0	10.0	1
25		16	RV0BFI250	250	-	0.55	19.0	10.0	1 ¼
32		16	RV0BFI320	160	-	0.79	22.0	10.0	1 ½
40		16	RV0BFI400	75	-	0.95	26.0	12.0	2
50		16	RV0BFI500	50	-	1.23	31.0	14.0	2 ¼
63		16	RV0BFI630	60	-	1.66	38.0	18.0	2 ¾
75	2 ½	16	RV0BFI750	125	-	4.52	44.0	18.0	3 ½
90		16	RV0BFI900	80	-	4.91	51.0	18.0	4
110		16	RV0BFI910	48	-	5.86	61.0	18.0	5

PF 2 01 950 010





Reductie scurta PVC-U metric





d-d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]
A 20 - 16	16	RVORCI20A	100	800	0.28	16	14	2
B 25 - 16	16	RVORCI25A	100	600	0.39	19	14	5
A 25 - 20	16	RVORCI25B	100	600	0.32	19	16	3
B 32 - 16	16	RVORCI32A	100	400	0.53	22	14	8
B 32 - 20	16	RVORCI32B	100	400	0.37	22	16	6
A 32 - 25	16	RVORCI32C	100	400	0.31	22	19	3
B 40 - 20	16	RVORCI40B	100	200	0.48	26	16	10
B 40 - 25	16	RVORCI40C	100	200	0.48	26	19	7
A 40 - 32	16	RVORCI40D	100	200	0.41	26	22	4
B 50 - 25	16	RVORCI50C	180	-	0.59	31	19	12
B 50 - 32	16	RVORCI50D	180	-	0.56	31	22	9
A 50 - 40	16	RVORCI50E	180	-	0.51	31	26	5
B 63 - 32	16	RVORCI63D	100	-	0.93	38	22	16
B 63 - 40	16	RVORCI63E	100	-	0.85	38	26	12
A 63 - 50	16	RVORCI63F	100	-	0.80	38	31	7
B 75 - 40	16	RVORCI75E	60	-	1.44	44	26	18
B 75 - 50	16	RVORCI75F	60	-	1.12	44	31	13
A 75 - 63	16	RVORCI75G	60	-	1.07	44	38	6
B 90 - 50	16	RVORCI90F	30	-	2.09	51	31	20
B 90 - 63	16	RVORCI90G	30	-	1.97	51	38	13
A 90 - 75	16	RVORCI90H	30	-	1.83	51	44	7
B 110 - 63	16	RVORCI91G	20	-	2.89	61	38	23
B 110 - 75	16	RVORCI91H	20	-	2.90	61	44	17
A 110 - 90	16	RVORCI91I	20	-	2.49	61	51	10
B 125 - 75	16	RVORCI92H	30	-	5.16	69	44	25
B 125 - 90	16	RVORCI92I	30	-	5.16	69	51	18
A 125 - 110	16	RVORCI92L	30	-	5.44	69	61	8
B 140 - 90	16	RVORCI93I	22	-	7.80	76	51	25
B 140 - 110	16	RVORCI93L	22	-	7.68	76	61	15
A 140 - 125	16	RVORCI93M	22	-	7.63	76	69	7
B 160 - 110	16	RVORCI94L	13	-	9.41	86	61	25
B 160 - 125	16	RVORCI94M	13	-	9.27	86	69	17
A 160 - 140	16	RVORCI94N	13	-	8.27	86	76	10
A 180 - 160	16	RVORCI95O	20	-	8.89	96	86	10
A 200 - 160	16	RVORCI96O	15	-	26.37	106	86	10
A 200 - 180	16	RVORCI96P	15	-	12.14	106	96	10
B 225 - 160	10	RVORCI97O	9	-	27.61	119	86	33
A 225 - 200	10	RVORCI97Q	9	-	20.47	119	106	13
B 250 - 160	10	RVORCI98O	1	-	72.39	134	87	47
B 250 - 200	10	RVORCI98Q	1	-	72.39	134	107	27
A 250 - 225	10	RVORCI98R	1	-	64.58	132	120	12

PF 2 01 950 010



Capat pentru olandez PVC-U

Compatibil cu BOI/BOP




PF 2 01 950 010

d [mm]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	d [mm]	d1 [mm]
16		16	RV0BLI160	100	1000	0.30	14.0	3.0	22.0	24.0
20		16	RV0BLI200	100	500	0.32	16.0	3.0	27.5	30.1
25		16	RV0BLI250	100	300	0.32	19.0	3.0	36.0	38.8
32		16	RV0BLI320	215	-	0.49	22.0	3.0	41.5	44.7
40		16	RV0BLI400	120	-	0.57	26.0	3.0	53.0	56.5
50		16	RV0BLI500	110	-	0.77	31.0	3.0	59.0	62.6
63		16	RV0BLI630	130	-	1.07	38.0	3.0	74.0	78.4
75	2 ½	16	RV0BLI750	165	-	2.83	44.0	3.0	92.5	97.2
90		16	RV0BLI900	100	-	3.43	51.0	5.0	105.0	110.0
110		16	RV0BLI910	66	-	4.14	61.0	5.0	129.0	135.4

Adaptor flansa zimtat PVC-U metric

• DN indica diametrul nominal al tevii de PVC



PF 2 01 950 010

d [mm]	d [inch]	DN [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	d [mm]	S [mm]	E [mm]
20		15	16	RV0QRI200	10	360	0.44	16.0	3.0	27	6	34
25		20	16	RV0QRI250	10	300	0.67	19.0	3.0	33	7	41
32		25	16	RV0QRI320	10	200	1.00	22.0	3.0	41	7	50
40		32	16	RV0QRI400	140	-	0.87	26.0	3.0	50	8	61
50		40	16	RV0QRI500	140	-	0.90	31.0	3.0	61	8	73
63		50	16	RV0QRI630	90	-	1.44	38.0	3.0	76	9	90
75	2 ½	65	16	RV0QRI750	50	-	2.16	44.0	3.0	90	10	106
90		80	16	RV0QRI900	38	-	2.63	51.0	5.0	108	11	125
110		100	16	RV0QRI910	24	-	3.85	61.0	5.0	131	12	150
125		110	16	RV0QRI920	25	-	7.33	69.0	5.0	147	13	168
140	5	125	16	RV0QRI930	20	-	8.06	76.0	5.0	165	14	188
160		150	16	RV0QRI940	15	-	10.55	86.0	5.0	188	16	213
200		200	16	RV0QRI960	8	-	17.27	106.0	7.0	232	18	254
225		200	10	RV0QRI970	6	-	24.54	119.0	7.0	248	19	274
250		250	10	RV0QRI980	1	-	47.36	131.0	10.0	273	20	307
315		300	10	RV0QRI991	1	-	81.21	164.0	11.0	346	27	379

Garnitura plata

Compatibil cu RV0QRI




d [mm]	EPDM Cod	SP	GP	P.U.(EUR)
16	2GRNPD160	10	-	0.22
20	2GRNPD200	10	-	0.22
25	2GRNPD250	10	-	0.26
32	2GRNPD320	10	-	0.30
40	2GRNPD400	10	-	0.44
50	2GRNPD500	10	-	0.56
63	2GRNPD630	10	-	0.67
75	2GRNPD750	10	-	0.78
90	2GRNPD900	10	-	0.93
110	2GRNPD910	10	-	1.71
125	2GRNPD920	10	-	2.01
140	2GRNPD930	10	-	2.38
160	2GRNPD940	10	-	3.17
200	2GRNPD960	10	-	9.24
225	2GRNPD970	6	-	11.02



Flansa libera PVC-U metric

Gaurile suruburilor pentru PN10

- DN indica diametrul nominal al tevii de PVC
- (***) Flansa speciala cu gaurile suruburilor pentru DN 140




d [mm]	DN [mm]	PN	Cod	SP	GP	P.U.(EUR)	d [mm]	E [mm]	S [mm]	I [mm]	f [mm]
20	15	16	RV0FLI200	120	-	1.07	28	95	11	65	11
25	20	16	RV0FLI250	100	-	1.20	34	105	12	75	12
32	25	16	RV0FLI320	50	-	2.07	42	115	14	85	14
40	32	16	RV0FLI400	35	-	2.69	51	140	15	100	15
50	40	16	RV0FLI500	70	-	2.46	62	150	16	110	16
63	50	16	RV0FLI630	45	-	2.80	78	165	18	125	18
75	65	16	RV0FLI750	50	-	3.61	92	185	19	145	19
90	80	16	RV0FLI900	38	-	4.30	110	200	20	160	20
110	100	16	RV0FLI910	24	-	5.77	133	220	22	180	22
** 125	125	16	RV0FAI920	25	-	8.70	149	250	26	210	26
140	125	16	RV0FLI930	20	-	9.77	167	250	26	210	26
160	150	16	RV0FLI940	15	-	11.38	190	285	28	240	28
200	200	16	RV0FLI960	8	-	14.24	235	340	30	295	30
225	200	16	RV0FLI970	6	-	17.40	250	340	30	295	30
250	250	16	RV0FLI980	1	-	127.72	280	395	34	350	22
315	300	16	RV0FLI991	1	-	179.09	349	445	31	400	22

PF 2 01 950 010

Capat flansa PVC-U metric


- DN indica diametrul nominal al tevii de PVC



d [mm]	d [inch]	DN [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]	S [mm]	I [mm]	f [mm]
20		15	16	RV0FFI200	100	-	1.23	16.0	4.5	95	11	65	14
25		20	16	RV0FFI250	70	-	1.61	19.0	4.5	105	12	75	14
32		25	16	RV0FFI320	120	-	1.94	22.0	4.5	115	14	85	14
40		32	16	RV0FFI400	60	-	2.46	26.0	4.5	140	15	100	18
50		40	16	RV0FFI500	50	-	2.89	31.0	4.5	150	16	110	18
63		50	16	RV0FFI630	40	-	3.71	38.0	4.5	165	18	125	18
75	2 1/2	65	16	RV0FFI750	20	-	4.64	44.0	6.0	185	19	145	18
90		80	16	RV0FFI900	15	-	5.68	51.0	7.0	200	20	160	18
110		100	16	RV0FFI910	10	-	7.45	61.0	8.0	220	22	180	18
125		110	16	RV0FFI920	6	-	16.60	69.0	7.0	230	24	190	18
140	5	125	16	RV0FFI930	6	-	19.24	76.0	7.0	250	26	210	18
160		140	16	RV0FFI940	5	-	22.14	86.0	7.0	285	28	240	18

PF 2 01 950 010






Flansa oarba PVC-U metric

Gaurile suruburilor pentru PN10

• DN indica diametrul nominal al tevii de PVC




d [mm]	DN [mm]	PN	Cod	SP	GP	P.U.(EUR)	E [mm]	S [mm]	I [mm]	f [mm]
20	15	16	RV0FCI200	120	-	1.31	95	11	65	14
25	20	16	RV0FCI250	100	-	1.45	105	12	75	14
32	25	16	RV0FCI320	140	-	1.96	115	14	85	14
40	32	16	RV0FCI400	100	-	4.28	140	15	100	18
50	40	16	RV0FCI500	70	-	3.85	150	16	110	18
63	50	16	RV0FCI630	50	-	5.72	165	18	125	18
75	65	16	RV0FCI750	45	-	7.24	185	19	145	18
90	80	16	RV0FCI900	38	-	7.86	200	20	160	18
110	100	16	RV0FCI910	25	-	8.40	220	22	180	18
125	110	16	RV0FCI920	20	-	8.70	230	24	190	18
140	125	16	RV0FCI930	18	-	10.25	250	26	210	18
160	150	16	RV0FCI940	14	-	11.51	285	28	240	22
200	200	16	RV0FCI960	8	-	22.69	340	30	295	22
225	200	16	RV0FCI970	8	-	22.69	340	30	295	22

PF 2 01 950 010



Sa derivatie T/M PVC-U metric




d [mm]	d1 [mm]	d2 [mm]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	P [mm]
32	20	25	10	DV0DEI32B	500	-	1.01	16	19	32	14
40	20	25	10	DV0DEI40B	500	-	1.07	16	19	38	14
40	25	32	10	DV0DEI40C	300	-	1.07	19	22	38	19
50	20	25	10	DV0DEI50B	500	-	1.25	16	19	43	14
50	25	32	10	DV0DEI50C	300	-	1.28	19	22	43	19
50	32	40	10	DV0DEI50D	170	-	1.28	22	26	45	24
63	20	25	10	DV0DEI63B	500	-	1.39	16	19	49	14
63	25	32	10	DV0DEI63C	300	-	1.45	19	22	50	19
63	32	40	10	DV0DEI63D	170	-	1.50	22	26	51	24
63	40	50	10	DV0DEI63E	110	-	1.55	26	31	55	30
75	20	25	10	DV0DEI75B	500	-	1.61	16	19	55	14
75	25	32	10	DV0DEI75C	300	-	1.61	19	22	56	19
75	32	40	10	DV0DEI75D	350	-	1.69	22	26	57	24
75	40	50	10	DV0DEI75E	200	-	1.74	26	31	61	30
75	50	63	10	DV0DEI75F	12	-	1.77	31	38	63	38
90	20	25	10	DV0DEI90B	500	-	1.77	16	19	63	14
90	25	32	10	DV0DEI90C	300	-	1.80	19	22	63	19
90	32	40	10	DV0DEI90D	400	-	1.82	22	26	65	24
90	40	50	10	DV0DEI90E	200	-	1.91	26	31	68	30
90	50	63	10	DV0DEI90F	12	-	1.94	31	38	71	38
90	63	75	10	DV0DEI90G	12	-	1.96	38	44	70	48
110	20	25	10	DV0DEI91B	500	-	1.96	16	16	73	14
110	25	32	10	DV0DEI91C	300	-	2.02	19	22	73	19
110	32	40	10	DV0DEI91D	400	-	2.04	22	26	75	24
110	40	50	10	DV0DEI91E	30	-	2.10	26	31	78	30
110	50	63	10	DV0DEI91F	12	-	2.13	31	38	81	38
110	63	75	10	DV0DEI91G	12	-	2.18	38	44	80	48
125	25	32	10	DV0DEI92C	300	-	2.20	19	22	81	19
125	32	40	10	DV0DEI92D	400	-	2.24	22	26	82	24
125	40	50	10	DV0DEI92E	200	-	2.24	26	31	86	30
125	50	63	10	DV0DEI92F	12	-	2.27	31	38	88	38
125	63	75	10	DV0DEI92G	70	-	2.29	38	44	88	48
140	32	40	10	DV0DEI93D	400	-	2.43	22	26	90	24
140	40	50	10	DV0DEI93E	30	-	2.46	26	31	93	30
140	50	63	10	DV0DEI93F	110	-	2.48	31	38	96	38
140	63	75	10	DV0DEI93G	12	-	2.48	38	44	95	48
160	25	32	10	DV0DEI94C	300	-	2.50	19	22	98	19
160	32	40	10	DV0DEI94D	400	-	2.54	22	26	100	24
160	40	50	10	DV0DEI94E	200	-	2.64	26	31	103	30
160	50	63	10	DV0DEI94F	110	-	2.67	31	38	106	38
160	63	75	10	DV0DEI94G	12	-	2.73	38	44	105	48
200	32	40	10	DV0DEI96D	400	-	2.75	22	26	120	24
200	40	50	10	DV0DEI96E	200	-	2.78	26	31	123	30
200	50	63	10	DV0DEI96F	110	-	2.86	31	38	126	38
200	63	75	10	DV0DEI96G	12	-	2.89	38	44	125	48
225	50	63	10	DV0DEI97F	110	-	2.94	31	38	138	38
225	63	75	10	DV0DEI97G	12	-	3.00	38	44	138	48
250	50	63	10	DV0DEI98F	110	-	3.05	31	38	151	38
250	63	75	10	DV0DEI98G	70	-	3.11	38	44	150	48
315	50	63	10	DV0DEI99F	110	-	3.13	31	38	183	38
315	63	75	10	DV0DEI99G	70	-	3.16	38	44	183	48

PF 2 01 950 011



Racord furtun lipire PVC-U




PF 2 01 950 010

d-d-d [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	d1 [mm]	d2 [mm]	
16 - 18 - 16	16	RV0PGI160	100	400	0.32	14.0	60	16	18	
20 - 22 - 20	16	RV0PGI200	100	300	0.41	16.0	67	20	22	
25 - 27 - 25	16	RV0PGI250	100	200	0.49	19.0	74	25	27	
32 - 32 - 30	16	RV0PGI320	10	130	0.55	22.0	80	30	32	
40 - 42 - 40	16	RV0PGI400	100	-	0.68	26.0	92	40	42	
50 - 52 - 50	16	RV0PGI500	100	-	0.95	31.0	101	50	52	
63 - 64 - 60	16	RV0PGI630	60	-	1.61	38.0	111	60	64	



PVC-U fittinguri filetate B.S.P.


Sa derivatie cu F.I. PVC-U



d	FI	PN	Cod	SP	GP	P.U.(EUR)	L	Z	P	E
[mm]	[inch]						[mm]	[mm]	[mm]	[mm]
32	1/4	10	DV0DEF32Z	500	-	0.79	12.9	28.9	11	24.2
32	3/8	10	DV0DEF32A	500	-	0.79	14.0	28.0	11	24.2
32	1/2	10	DV0DEF32B	500	-	0.79	15.0	33.0	14	30.0
40	1/4	10	DV0DEF40Z	500	-	0.79	12.9	32.9	11	24.2
40	3/8	10	DV0DEF40A	500	-	0.79	14.0	32.0	11	24.2
40	1/2	10	DV0DEF40B	500	-	0.79	15.0	37.0	14	30.0
40	3/4	10	DV0DEF40C	270	-	0.79	16.3	38.0	19	36.0
50	1/4	10	DV0DEF50Z	500	-	0.85	12.9	37.9	11	24.2
50	3/8	10	DV0DEF50A	500	-	0.85	14.0	37.0	11	24.2
50	1/2	10	DV0DEF50B	500	-	0.85	15.0	42.0	14	30.0
50	3/4	10	DV0DEF50C	270	-	0.87	16.3	43.0	19	36.0
50	1	10	DV0DEF50D	170	-	0.90	19.1	44.0	24	45.0
63	1/4	10	DV0DEF63Z	500	-	0.96	12.9	44.4	11	24.2
63	3/8	10	DV0DEF63A	500	-	0.95	14.0	43.5	11	24.2
63	1/2	10	DV0DEF63B	500	-	0.96	15.0	48.0	14	30.0
63	3/4	10	DV0DEF63C	270	-	1.01	16.3	49.0	19	36.0
63	1	10	DV0DEF63D	170	-	1.01	19.1	50.0	24	45.0
63	1 1/4	10	DV0DEF63E	110	-	1.09	21.4	52.0	30	53.0
75	1/4	10	DV0DEF75Z	500	-	1.11	12.9	50.4	11	24.2
75	3/8	10	DV0DEF75A	500	-	1.11	14.0	49.5	11	24.2
75	1/2	10	DV0DEF75B	500	-	1.11	15.0	58.0	38	64.0
75	3/4	10	DV0DEF75C	270	-	1.14	16.3	55.0	19	36.0
75	1	10	DV0DEF75D	170	-	1.18	19.1	56.0	24	45.0
75	1 1/4	10	DV0DEF75E	65	-	1.25	21.4	58.0	30	53.0
75	1 1/2	10	DV0DEF75F	120	-	1.25	21.4	58.0	38	64.0
90	1/4	10	DV0DEF90Z	500	-	1.25	12.9	57.9	11	24.2
90	3/8	10	DV0DEF90A	500	-	1.25	14.0	57.0	11	24.2
90	1/2	10	DV0DEF90B	500	-	1.25	15.0	62.0	14	30.0
90	3/4	10	DV0DEF90C	270	-	1.28	16.3	63.0	19	36.0
90	1	10	DV0DEF90D	170	-	1.31	19.1	64.0	24	45.0
90	1 1/4	10	DV0DEF90E	110	-	1.37	21.4	66.0	30	53.0
90	1 1/2	10	DV0DEF90F	120	-	1.45	21.4	66.0	38	64.0
90	2	10	DV0DEF90G	90	-	1.55	25.7	67.0	48	78.0
110	1/2	10	DV0DEF91B	500	-	1.39	15.0	72.0	14	30.0
110	3/4	10	DV0DEF91C	270	-	1.45	16.3	73.0	19	36.0
110	1	10	DV0DEF91D	170	-	1.45	19.1	74.0	24	45.0
110	1 1/4	10	DV0DEF91E	110	-	1.50	21.4	76.0	30	53.0
110	1 1/2	10	DV0DEF91F	120	-	1.53	21.4	76.0	38	64.0
110	2	10	DV0DEF91G	90	-	1.53	25.7	77.0	48	78.0
125	1/2	10	DV0DEF92B	500	-	1.55	15.0	79.0	14	30.0
125	3/4	10	DV0DEF92C	270	-	1.55	16.3	80.0	19	36.0
125	1	10	DV0DEF92D	170	-	1.58	19.1	81.0	24	45.0
125	1 1/4	10	DV0DEF92E	110	-	1.61	21.4	83.0	30	53.0
125	1 1/2	10	DV0DEF92F	120	-	1.61	21.4	83.0	38	64.0
125	2	10	DV0DEF92G	90	-	1.64	25.7	84.0	48	78.0
140	1/2	10	DV0DEF93B	500	-	1.69	15.0	87.0	14	30.0
140	3/4	10	DV0DEF93C	270	-	1.72	16.3	88.0	19	36.0
140	1	10	DV0DEF93D	170	-	1.74	19.1	89.0	24	45.0
140	1 1/4	10	DV0DEF93E	60	-	1.77	21.4	91.0	30	53.0
140	1 1/2	10	DV0DEF93F	120	-	1.80	21.4	91.0	38	64.0
140	2	10	DV0DEF93G	90	-	1.80	25.7	92.0	48	78.0
160	3/4	10	DV0DEF94C	270	-	1.82	16.3	98.0	19	36.0
160	1	10	DV0DEF94D	170	-	1.85	19.1	99.0	24	45.0
160	1 1/4	10	DV0DEF94E	110	-	1.91	21.4	101.0	30	53.0
160	1 1/2	10	DV0DEF94F	120	-	1.94	21.4	101.0	38	64.0
160	2	10	DV0DEF94G	90	-	1.96	25.7	102.0	48	78.0
200	1	10	DV0DEF96D	170	-	2.02	19.1	118.0	2	45.0
200	1 1/4	10	DV0DEF96E	60	-	2.04	21.4	121.0	30	53.0
200	1 1/2	10	DV0DEF96F	120	-	2.04	21.4	121.0	38	64.0
200	2	10	DV0DEF96G	90	-	2.07	25.7	122.0	48	78.0
225	1 1/4	10	DV0DEF97E	110	-	2.10	21.4	133.0	30	53.0
225	1 1/2	10	DV0DEF97F	120	-	2.13	21.4	133.0	38	64.0

table continued next page






d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	P [mm]	E [mm]
225	2	10	DV0DEF97G	90	-	2.18	25.7	134.0	48	78.0
250	1 1/4	10	DV0DEF98E	110	-	2.20	21.4	146.0	30	53.0
250	1 1/2	10	DV0DEF98F	120	-	2.24	21.4	146.0	38	64.0
250	2	10	DV0DEF98G	90	-	2.24	25.7	147.0	48	78.0
315	1 1/2	10	DV0DEF99F	120	-	2.27	21.4	149.0	38	64.0
315	2	10	DV0DEF99G	90	-	2.29	25.7	180.0	48	78.0

PF 2 01 950 011


Sa derivatie cu F.E. PVC-U



d [mm]	FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	P [mm]
32	1/2	10	DV0DMF32B	500	-	0.63	15.0	33	14
40	1/2	10	DV0DMF40B	350	-	0.63	15.0	37	14
50	1/2	10	DV0DMF50B	350	-	0.65	15.0	42	14
50	1	10	DV0DMF50D	170	-	0.73	19.1	44	24
63	1/2	10	DV0DMF63B	500	-	0.77	15.0	48	14
63	1	10	DV0DMF63D	170	-	0.90	19.1	50	24
75	1/2	10	DV0DMF75B	500	-	0.93	15.0	54	14
75	1	10	DV0DMF75D	400	-	0.96	19.1	56	24
75	1 1/2	10	DV0DMF75F	110	-	1.11	21.4	58	38
90	1/2	10	DV0DMF90B	500	-	1.09	15.0	62	14
90	1	10	DV0DMF90D	400	-	1.14	19.1	64	24
90	1 1/2	10	DV0DMF90F	110	-	1.25	21.4	66	38
90	2	10	DV0DMF90G	110	-	1.31	25.7	67	48
110	1/2	10	DV0DMF91B	500	-	1.20	15.0	72	14
110	1	10	DV0DMF91D	400	-	1.28	19.1	74	24
110	1 1/2	10	DV0DMF91F	110	-	1.37	21.4	76	38
110	2	10	DV0DMF91G	110	-	1.37	25.7	77	48
125	1 1/2	10	DV0DMF92F	110	-	1.53	21.4	83	38
125	2	10	DV0DMF92G	110	-	1.53	25.7	84	48
140	1 1/2	10	DV0DMF93F	110	-	1.64	21.4	91	38
140	2	10	DV0DMF93G	110	-	1.64	25.7	92	48
160	1		DV0DMF94D	400	-	1.53			
160	1 1/2		DV0DMF94F	110	-	1.63			
160	2		DV0DMF94G	110	-	1.63			
200	1		DV0DMF96D	400	-	1.63			
200	2		DV0DMF96G	110	-	1.68			

PF 2 01 950 011

Teu filetat 90° F.I. PVC-U




FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
3/8	16	RV0TIF160	10	280	0.77	11.4	11.6	23
1/2	16	RV0TIF200	10	150	0.77	15.0	12.0	28
3/4	16	RV0TIF250	10	100	0.82	16.3	16.7	34
1	16	RV0TIF320	10	130	1.01	19.1	19.9	42
1 1/4	16	RV0TIF400	90	-	1.50	21.4	25.6	51
1 1/2	16	RV0TIF500	50	-	2.10	21.4	35.6	61
2	16	RV0TIF630	25	-	3.03	25.7	45.3	75
1 1/2	16	RV0TIF750	35	-	7.56	30.2	52.8	89
3	16	RV0TIF900	24	-	9.70	33.3	64.7	106
4	16	RV0TIF910	14	-	17.39	39.3	75.7	129

PF 2 01 951 010





Cot filetat 45° F.I. PVC-U



PF 2 01 951 010

FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
3/8	16	RV0GYF160	10	400	1.07	11.4	11.6	23
1/2	16	RV0GYF200	10	260	1.07	15.0	12.0	28
3/4	16	RV0GYF250	10	150	1.14	16.3	16.7	34
1	16	RV0GYF320	10	100	1.41	19.1	19.9	42
1 1/4	16	RV0GYF400	80	-	1.94	21.4	25.6	51
1 1/2	16	RV0GYF500	100	-	2.54	21.4	35.6	61
2	16	RV0GYF630	50	-	3.65	25.7	45.3	75
1 1/2	16	RV0GYF750	65	-	9.27	30.2	52.8	89
3	16	RV0GYF900	40	-	11.59	33.3	64.7	106
4	16	RV0GYF910	22	-	17.72	39.3	78.7	129


Cot filetat 90° F.I. PVC-U



PF 2 01 951 010

FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
3/8	16	RV0GOF160	10	360	0.52	11.4	44.6	23
1/2	16	RV0GOF200	10	200	0.90	15.0	12.0	28
3/4	16	RV0GOF250	10	160	1.10	16.3	16.7	34
1	16	RV0GOF320	10	80	1.20	19.1	19.9	42
1 1/4	16	RV0GOF400	130	-	1.28	21.4	25.6	51
1 1/2	16	RV0GOF500	80	-	1.85	21.4	35.6	61
2	16	RV0GOF630	40	-	2.62	25.7	45.3	75
2 1/2	16	RV0GOF750	50	-	6.38	30.2	52.8	89
3	16	RV0GOF900	30	-	9.03	33.3	64.7	106
4	16	RV0GOF910	17	-	14.15	39.3	78.7	129

Mufa filetata F.I. PVC-U




PF 2 01 951 010

FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]
3/8	16	RV0MAF160	10	500	0.68	11.4	6	23
1/2	16	RV0MAF200	10	250	0.79	15.0	7	28
3/4	16	RV0MAF250	10	180	0.82	16.3	7	34
1	16	RV0MAF320	10	130	0.95	19.1	8	42
1 1/4	16	RV0MAF400	220	-	1.11	21.4	8	51
1 1/2	16	RV0MAF500	180	-	1.37	21.4	8	58
2	16	RV0MAF630	100	-	1.80	25.7	8	72
2 1/2	16	RV0MAF750	120	-	5.23	30.2	9	89
3	16	RV0MAF900	84	-	6.32	33.3	10	103
4	16	RV0MAF910	44	-	9.03	39.3	11	130
6	16	RV0MAF940	9	-	22.36	48.0	84	182





Reductie inversa filetata F.E./F.I. PVC-U



FE [inch]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2' [mm]	Z [mm]	E [mm]	O [mm]
1/2	3/8	16	RV0RIF20A	10	400	0.52	15.0	11.4	24	32	24
3/4	3/8	16	RV0RIF25A	10	280	0.55	16.3	11.4	25	23	30
3/4	1/2	16	RV0RIF25B	10	280	0.57	16.3	15.0	26	28	30
1	3/8	16	RV0RIF32A	10	160	0.60	19.1	11.4	28	23	36
1	1/2	16	RV0RIF32B	10	160	0.60	19.1	15.0	29	28	36
1	3/4	16	RV0RIF32C	10	160	0.60	19.1	16.3	30	34	36
1 1/4	1/2	16	RV0RIF40B	150	-	0.82	21.4	15.0	33	28	46
1 1/4	3/4	16	RV0RIF40C	150	-	0.82	21.4	16.3	33	34	46
1 1/4	1	16	RV0RIF40D	150	-	0.82	21.4	19.1	33	42	46
1 1/2	3/4	16	RV0RIF50C	120	-	1.07	21.4	16.3	34	34	50
1 1/2	1	16	RV0RIF50D	100	-	1.07	21.4	19.1	34	42	50
1 1/2	1 1/4	16	RV0RIF50E	100	-	1.07	21.4	21.4	34	51	55
2	1	16	RV0RIF63D	140	-	1.47	25.7	19.1	37	42	65
2	1 1/4	16	RV0RIF63E	140	-	1.47	25.7	21.4	37	51	65
2	1 1/2	16	RV0RIF63F	130	-	1.47	25.7	21.4	37	58	65
2 1/2	1 1/4	16	RV0RIF75E	170	-	2.94	30.2	21.4	43	51	80
2 1/2	1 1/2	16	RV0RIF75F	170	-	2.94	30.2	21.4	43	58	80
2 1/2	2	16	RV0RIF75G	150	-	2.94	30.2	25.7	43	72	80
3	1 1/2	16	RV0RIF90F	150	-	4.52	33.3	21.4	47	58	95
3	2	16	RV0RIF90G	125	-	4.52	33.3	25.7	47	72	95
3	2 1/2	16	RV0RIF90H	115	-	4.52	33.3	30.2	47	89	95
4	2	16	RV0RIF91G	85	-	7.31	39.3	25.7	53	72	120
4	2 1/2	16	RV0RIF91H	42	-	7.31	39.3	30.2	53	89	120
4	3	16	RV0RIF91I	60	-	7.31	39.3	33.3	53	103	120

PF 2 01 951 010

Piulita filetata PVC-U




FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	D [mm]	L [mm]	E [mm]
1/2	16	RV0DAF200	1	800	0.95	38	13	29
3/4	16	RV0DAF250	1	1250	1.11	43	14	34
1	16	RV0DAF320	1	600	1.31	56	16	46
1 1/4	16	RV0DAF400	1	450	1.85	65	18	50
1 1/2	16	RV0DAF500	300	-	2.10	72	19	60
2	16	RV0DAF630	150	-	3.13	94	21	80
2 1/2	16	RV0DAF750	120	-	6.43	115	24	94
3	16	RV0DAF900	80	-	8.70	130	27	108
4	16	RV0DAF910	45	-	11.94	162	30	135

PF 2 01 950 013




Mufa redusa filetata F.I./F.I. PVC-U



PF 2 01 951 010

FI [inch]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	E1 [mm]	E2 [mm]
1/2	3/8	16	RV0MRF20A	10	250	0.93	15.0	11.4	6	28.0	23.0
3/4	1/2	16	RV0MRF25B	10	200	0.93	16.3	15.0	7	34.0	28.0
1	3/4	16	RV0MRF32C	10	120	0.98	19.1	16.3	7	42.0	34.0
1 1/4	1	16	RV0MRF40D	190	-	1.23	21.4	19.1	8	51.0	42.0
1 1/2	1 1/4	16	RV0MRF50E	165	-	1.77	21.4	21.4	8	58.0	51.0
2	1 1/2	16	RV0MRF63F	80	-	2.48	25.7	21.4	8	72.0	58.0
2 1/2	2	16	RV0MRF75G	130	-	5.34	30.2	25.7	8	89.0	72.0
3	2 1/2	16	RV0MRF90H	80	-	6.38	33.3	30.2	9	103.0	89.0
4	3	16	RV0MRF91I	54	-	9.16	39.3	33.3	10	130.0	103.0


Reductie filetata F.E./F.I. PVC-U



PF 2 01 951 010

FE [inch]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1' [mm]	L2' [mm]	Z [mm]	O [mm]
3/4	1/2	16	RV0RCF25B	100	300	0.65	16.3	15.0	13.3	30
1	3/4	16	RV0RCF32C	100	250	0.68	19.1	16.3	14.8	36
1 1/4	1	16	RV0RCF40D	200	-	0.82	21.4	19.1	16.3	46
1 1/2	1 1/4	16	RV0RCF50E	160	-	1.07	21.4	21.4	14.0	50
2	1 1/2	16	RV0RCF63F	200	-	1.41	25.7	21.4	18.3	65
2 1/2	2	16	RV0RCF75G	200	-	3.43	30.2	25.7	20.5	80
3	2 1/2	16	RV0RCF90H	165	-	4.75	33.3	30.2	20.1	95
4	3	16	RV0RCF91I	90	-	7.58	39.3	33.3	24.0	120

Niplu filetat F.E. PVC-U




PF 2 01 951 010

FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	O [mm]
3/8	16	RV0NIF160	10	600	0.47	11.4	33	22
1/2	16	RV0NIF200	10	400	0.40	15.0	42	24
3/4	16	RV0NIF250	10	280	0.49	16.3	44	30
1	16	RV0NIF320	10	160	0.66	19.1	50	36
1 1/4	16	RV0NIF400	130	-	0.91	21.4	58	46
1 1/2	16	RV0NIF500	90	-	1.09	21.4	58	50
2	16	RV0NIF630	125	-	1.63	25.7	66	65
2 1/2	16	RV0NIF750	140	-	3.43	30.2	76	80
3	16	RV0NIF900	90	-	4.69	33.3	85	95
4	16	RV0NIF910	45	-	7.27	39.3	96	120




Niplu redus filetate F.E./F.E. PVC-U



PF 2 01 951 010

FE [inch]	FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2' [mm]	H [mm]	O [mm]
1/2	3/8	16	RV0NRF20A	10	400	0.60	15.0	11.4	38	24
3/4	1/2	16	RV0NRF25B	10	280	0.68	16.3	15.0	43	30
1	3/4	16	RV0NRF32C	10	180	0.87	19.1	16.3	47	36
1 1/4	1	16	RV0NRF40D	150	-	1.07	21.4	19.1	56	46
1 1/2	1 1/4	16	RV0NRF50E	100	-	1.34	21.4	21.4	58	50
2	1 1/2	16	RV0NRF63F	130	-	1.94	25.7	21.4	62	65
2 1/2	2	16	RV0NRF75G	110	-	3.65	30.2	25.7	73	80
3	2 1/2	16	RV0NRF90H	50	-	4.50	33.3	30.2	82	95
4	3	16	RV0NRF91I	36	-	6.85	39.3	33.3	90	120


Dop filetat F.E. PVC-U



PF 2 01 951 010

FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	O [mm]
3/8	16	RV0TAF160	10	700	0.36	11.4	24	22
1/2	16	RV0TAF200	10	500	0.34	15.0	29	24
3/4	16	RV0TAF250	10	320	0.46	16.3	30	30
1	16	RV0TAF320	10	250	0.51	19.1	33	36
1 1/4	16	RV0TAF400	200	-	0.83	21.4	39	46
1 1/2	16	RV0TAF500	150	-	1.10	21.4	39	50
2	16	RV0TAF630	180	-	1.47	25.7	43	65
2 1/2	16	RV0TAF750	100	-	3.60	30.2	51	80
3	16	RV0TAF900	65	-	4.63	33.3	55	95
4	16	RV0TAF910	40	-	9.13	39.3	61	120

Mufa redusa filetata F.I./F.E PVC-U





PF 2 01 951 010

FE [inch]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	O [mm]
3/8	1/2	16	RV0MGF16B	500	-	0.82	11.4	15.0	22	30
1/2	3/4	16	RV0MGF20C	300	-	0.87	15.0	16.3	24	36
3/4	1	16	RV0MGF25D	350	-	0.93	16.3	19.1	26	46
1	1 1/4	16	RV0MGF32E	250	-	0.98	19.1	21.4	30	55
1 1/4	1 1/2	16	RV0MGF40F	180	-	1.11	21.4	21.4	33	60
1 1/2	2	16	RV0MGF50G	100	-	1.50	21.4	25.7	34	75
2	2 1/2	16	RV0MGF63H	60	-	3.27	25.7	30.2	38	90
2 1/2	3	16	RV0MGF75I	54	-	4.06	30.2	33.3	44	105
3	4	16	RV0MGF90L	34	-	6.85	33.3	39.3	48	130




Capat flansa filetat F.I. PVC-U



PF 2 01 951 010

FI [inch]	DN [mm]	PN-PN [bar]	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	E [mm]	S [mm]	I [mm]	f [mm]
1/2	15	10 - 16	RV0FFF200	100	-	1.94	15.0	5.5	95	11	65	14
3/4	20	10 - 16	RV0FFF250	70	-	2.13	16.3	7.5	105	12	75	14
1	25	10 - 16	RV0FFF320	120	-	2.34	19.1	7.5	115	14	85	14
1 1/4	32	10 - 16	RV0FFF400	60	-	3.43	21.4	9.0	140	15	100	18
1 1/2	40	10 - 16	RV0FFF500	50	-	4.64	21.4	14.0	150	16	110	18
2	50	10 - 16	RV0FFF630	40	-	5.59	25.7	17.0	165	18	125	18
2 1/2	65	10 - 16	RV0FFF750	20	-	7.64	30.2	20.0	185	19	145	18
3	80	10 - 16	RV0FFF900	15	-	9.33	30.3	25.0	200	20	160	18
4	100	10 - 16	RV0FFF910	10	-	11.51	39.9	30.0	220	22	180	18

Olandez filetat F.I. cu o-ring PVC-U




PF 2 01 951 010

FI [inch]	PN	EPDM Cod	SP	GP	P.U.(EUR)	L [mm]	Z1 [mm]	Z2 [mm]	F [inch]	E [mm]
3/8	16	RV0BOF160	10	250	1.55	11.4	5.6	13.6	3/4	34
1/2	16	RV0BOF200	10	150	1.69	15.0	4.0	11.0	1	42
3/4	16	RV0BOF250	10	100	1.94	16.3	5.7	12.7	1 1/4	52
1	16	RV0BOF320	10	60	2.46	19.1	5.9	12.9	1 1/2	59
1 1/4	16	RV0BOF400	90	-	3.03	21.4	7.6	16.6	2	72
1 1/2	16	RV0BOF500	60	-	4.17	21.4	12.6	23.6	2 1/4	79
2	16	RV0BOF630	36	-	5.59	25.7	15.3	30.3	2 3/4	96
2 1/2	16	RV0BOF750	20	-	15.71	30.2	16.8	31.8	3 1/2	119
3	16	RV0BOF900	15	-	17.99	33.3	22.7	35.7	4	134
4	16	RV0BOF910	18	-	20.83	39.3	26.7	39.7	5	163

Mufa pentru olandez filetat F.I. PVC-U

Compatibil cu BOF/BOP





PF 2 01 951 010

FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	F [inch]
3/8	16	RV0BFF160	600	-	0.57	11.4	13.6	3/4
1/2	16	RV0BFF200	300	-	0.65	15.0	11.0	1
3/4	16	RV0BFF250	180	-	0.79	16.3	12.7	1 1/4
1	16	RV0BFF320	500	-	0.98	19.1	12.9	1 1/2
1 1/4	16	RV0BFF400	160	-	1.18	21.4	16.6	2
1 1/2	16	RV0BFF500	50	-	1.61	21.4	23.6	2 1/4
2	16	RV0BFF630	60	-	2.24	25.7	30.3	2 3/4
2 1/2	16	RV0BFF750	125	-	6.43	30.2	31.8	3 1/2
3	16	RV0BFF900	80	-	7.48	33.3	35.7	4
4	16	RV0BFF910	48	-	8.29	39.3	39.7	5



Capat pentru olandez filetat F.I. PVC-U


Compatibil cu BOF



FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	Z [mm]	d [mm]	d1 [mm]
3/8	16	RV0BLF160	1000	-	0.52	11.4	5.6	22.0	24.0
1/2	16	RV0BLF200	600	-	0.55	15.0	4.0	27.5	30.1
3/4	16	RV0BLF250	300	-	0.63	16.3	5.7	36.0	38.8
1	16	RV0BLF320	650	-	0.87	19.1	5.9	41.5	44.7
1 1/4	16	RV0BLF400	125	-	0.71	21.4	7.6	53.0	56.5
1 1/2	16	RV0BLF500	85	-	1.39	21.4	12.6	59.0	62.6
2	16	RV0BLF630	45	-	1.85	25.7	15.3	74.0	78.4
2 1/2	16	RV0BLF750	165	-	4.69	30.2	16.8	92.5	97.2
3	16	RV0BLF900	100	-	5.07	33.3	22.7	105.0	110.0
4	16	RV0BLF910	66	-	5.92	39.3	26.7	129.0	135.4

PF 2 01 951 010


Capac filetat F.I. PVC-U



FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	E [mm]
3/8	16	RV0CAF160	10	600	0.41	11.4	22.0	23
1/2	16	RV0CAF200	10	500	0.49	15.0	21.0	28
3/4	16	RV0CAF250	10	400	0.55	16.3	23.0	34
1	16	RV0CAF320	10	250	0.60	19.1	26.0	42
1 1/4	16	RV0CAF400	160	-	0.90	21.4	29.0	51
1 1/2	16	RV0CAF500	80	-	1.01	21.4	32.0	61
2	16	RV0CAF630	50	-	1.41	25.7	37.0	75
2 1/2	16	RV0CAF750	90	-	4.75	30.2	50.0	89
3	16	RV0CAF900	60	-	6.32	33.3	53.0	103
4	16	RV0CAF910	34	-	7.94	39.3	59.0	130

PF 2 01 951 010

Racord furtun filetat F.E. PVC-U



FE [inch]	d1 [mm]	d2 [mm]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	H [mm]	d1 [mm]	d2 [mm]	O [mm]
3/8	16	18	16	RV0PGF160	10	400	0.36	11.4	56.0	16	18	22
1/2	20	22	16	RV0PGF200	10	280	0.49	15.0	66.0	20	22	24
3/4	25	27	16	RV0PGF250	10	180	0.55	16.3	71.3	25	27	30
1	30	32	16	RV0PGF320	10	130	0.63	19.1	77.1	30	32	36
1 1/4	40	42	16	RV0PGF400	85	-	0.90	21.4	87.4	40	42	46
1 1/2	50	52	16	RV0PGF500	130	-	1.14	21.4	91.4	50	52	50
2	60	64	16	RV0PGF630	70	-	1.77	25.7	98.7	60	64	65


PF 2 01 951 010





Racord rezervor F.E. PP

FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	D [mm]	L [mm]	L1 [mm]	H [mm]
1/2	10	RPOATS200	10	400	1.91	41.0	47	4	18
3/4	10	RPOATS250	10	300	2.24	49.0	47	4	18
1	10	RPOATS320	10	180	2.50	58.0	49	5	18
1 1/4	10	RPOATS400	10	120	2.94	70.0	49	5	18
1 1/2	10	RPOATS500	10	150	3.43	79.5	49	9	25



PF 2 01 951 010



Banda de teflon


mt [m]	PTFE Cod	SP	GP	kg
12	Y1TPTF012	10	500	0.012

PF 2 02 962 011



PVC-U fittinguri tranzitie


Teu cu derivatie filetata F.I. PVC-U



PF 2 01 951 011

d [mm]	FI [inch]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	E [mm]
16	3/8		16	RV0TIP16A	10	280	0.65	14	11.4	9	11.6	23
20	1/2		16	RV0TIP20B	10	150	0.68	16	15.0	11	12.0	28
25	3/4		16	RV0TIP25C	10	100	0.82	19	16.3	14	16.7	34
32	1		16	RV0TIP32D	10	130	1.07	22	19.1	17	19.9	42
40	1 1/4		16	RV0TIP40E	90	-	1.47	26	21.4	21	25.6	51
50	1 1/2		16	RV0TIP50F	50	-	2.16	31	21.4	26	35.6	61
63	2		16	RV0TIP63G	25	-	3.57	38	25.7	33	45.3	75
75	2 1/2	2 1/2	16	RV0TIP75H	35	-	6.79	44	30.2	39	52.8	89
90	3		16	RV0TIP90I	24	-	9.87	51	33.3	47	64.7	106
110	4		16	RV0TIP91L	14	-	16.14	61	39.3	57	78.7	129


Cot lipire/F.I. 90° Rp PVC-U



PF 2 01 951 011

d [mm]	FI [inch]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	E [mm]
16	3/8		16	RV0GOP16A	10	360	0.49	14.0	11.4	9.0	11.6	23
20	1/2		16	RV0GOP20B	10	200	0.60	16.0	15.0	11.0	12.0	28
25	3/4		16	RV0GOP25C	10	160	0.71	19.0	16.3	14.0	16.7	34
32	1		16	RV0GOP32D	10	80	0.90	22.0	19.1	17.0	19.9	42
40	1 1/4		16	RV0GOP40E	130	-	1.58	26.0	21.4	21.0	25.6	51
50	1 1/2		16	RV0GOP50F	80	-	2.13	31.0	21.4	26.0	35.6	61
63	2		16	RV0GOP63G	40	-	2.94	38.0	25.7	33.0	45.3	75
75	2 1/2	2 1/2	16	RV0GOP75H	50	-	6.38	44.0	30.2	39.0	52.8	89
90	3		16	RV0GOP90I	30	-	9.16	51.0	33.3	47.0	64.7	106
110	4		16	RV0GOP91L	17	-	14.18	61.0	39.3	57.0	78.7	129

Mufa lipire/F.I. PVC-U




PF 2 01 951 011

d [mm]	FI [inch]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	E1 [mm]	E2 [mm]
16	3/8		16	RV0MAP16A	10	500	0.52	14.0	11.4	6.0	23.0	23.0
20	1/2		16	RV0MAP20B	10	250	0.51	16.0	15.0	6.0	28.0	28.0
25	3/4		16	RV0MAP25C	10	200	0.53	19.0	16.3	6.0	34.0	34.0
32	1		16	RV0MAP32D	10	130	0.60	22.0	19.1	6.0	42.0	42.0
40	1 1/4		16	RV0MAP40E	100	-	1.11	26.0	21.4	4.0	51.0	51.0
50	1 1/2		16	RV0MAP50F	60	-	1.40	31.0	21.4	7.0	61.0	58.0
63	2		16	RV0MAP63G	80	-	1.83	38.0	25.7	7.0	75.0	72.0
75	2 1/2	2 1/2	16	RV0MAP75H	110	-	14.25	44.0	30.2	8.0	89.0	89.0
90	3		16	RV0MAP90I	64	-	12.49	51.0	33.3	9.0	106.0	103.0
110	4		16	RV0MAP91L	35	-	9.16	61.0	39.3	10.0	129.0	130.0
125	5		16	RV0MAP92N	16	-	12.65	69.0	43.6	51.0	160.0	
140	5	5	16	RV0MAP93N	9	-	19.63	76.0	43.6	40.0	162.0	
160	6		16	RV0MAP94O	9	-	23.15	86.0	48.0	46.0	184.0	




Olandez lipire/F.I. cu o-ring PVC-U



PF 2 01 951 011

d [mm]	FI [inch]	d [inch]	PN	EPDM Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	F [inch]	E [mm]
16	3/8		16	RV0BOP16A	10	250	1.45	14.0	11.4	3.0	13.6	3/4	34
20	1/2		16	RV0BOP20B	10	150	1.58	16.0	15.0	3.0	11.0	1	42
25	3/4		16	RV0BOP25C	10	100	1.81	19.0	16.3	3.0	12.7	1 1/4	52
32	1		16	RV0BOP32D	10	60	2.41	22.0	19.1	3.0	12.9	1 1/2	59
40	1 1/4		16	RV0BOP40E	90	-	2.84	26.0	21.4	3.0	16.6	2	72
50	1 1/2		16	RV0BOP50F	60	-	3.97	31.0	21.4	3.0	23.6	2 1/4	79
63	2		16	RV0BOP63G	36	-	5.19	38.0	25.7	3.0	30.3	2 3/4	96
75	2 1/2	2 1/2	16	RV0BOP75H	20	-	12.48	44.0	30.2	3.0	31.8	3 1/2	119
90	3		16	RV0BOP90I	15	-	14.34	51.0	33.3	5.0	35.7	4	134
110	4		16	RV0BOP91L	18	-	16.84	61.0	39.3	5.0	39.7	5	163

Adaptor 3 diametre lipire/F.E. PVC-U




PF 2 01 951 011

d-d [mm]	FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	L3 [mm]	H [mm]	O [mm]
16 - 16	3/8	16	RV0AMP12A	100	600	0.38		14	11.4	36	22
16 - 20	3/8	16	RV0AMP16A	100	500	0.41	14.0	16	11.4	40	24
16 - 20	1/2	16	RV0AMP16B	100	400	0.41	14.0	16	15.0	43	24
20 - 25	3/8	16	RV0AMP20A	100	300	0.44	16.0	19	11.4	43	30
20 - 25	1/2	16	RV0AMP20B	100	300	0.39	16.0	19	15.0	46	30
20 - 25	3/4	16	RV0AMP20C	100	300	0.46	16.0	19	16.3	47	30
25 - 32	1/2	16	RV0AMP25B	100	200	0.49	19.0	22	15.0	49	36
25 - 32	3/4	16	RV0AMP25C	100	200	0.49	19.0	22	16.3	50	36
25 - 32	1	16	RV0AMP25D	100	200	0.53	19.0	22	19.1	53	36
32 - 40	3/4	16	RV0AMP32C	10	140	0.60	22.0	26	16.3	54	46
32 - 40	1	16	RV0AMP32D	10	120	0.74	22.0	26	19.1	57	46
32 - 40	1 1/4	16	RV0AMP32E	10	100	0.93	22.0	26	21.4	60	46
40 - 50	1	16	RV0AMP40D	90	-	1.03	26.0	31	19.1	64	55
40 - 50	1 1/4	16	RV0AMP40E	50	-	0.82	26.0	31	21.4	67	55
40 - 50	1 1/2	16	RV0AMP40F	80	-	0.92	26.0	31	21.4	67	55
50 - 63	1 1/4	16	RV0AMP50E	50	-	1.50	31.0	38	21.4	74	65
50 - 63	1 1/2	16	RV0AMP50F	110	-	1.23	31.0	38	21.4	74	65
50 - 63	2	16	RV0AMP50G	100	-	1.23	31.0	38	25.7	78	65
63 - 75	1 1/2	16	RV0AMP63F	35	-	1.47	38.0	44	21.4	80	80
63 - 75	2	16	RV0AMP63G	70	-	1.54	38.0	44	25.7	84	80
63 - 75	2 1/2	16	RV0AMP63H	50	-	2.07	38.0	44	30.2	91	80
75 - 90	2	16	RV0AMP75G	54	-	3.96	44.0	51	25.7	94	95
75 - 90	2 1/2	16	RV0AMP75H	60	-	3.91	44.0	51	30.2	99	95
75 - 90	3	16	RV0AMP75I	36	-	3.93	44.0	51	33.3	102	95
90 - 110	2 1/2	16	RV0AMP90H	25	-	5.29	51.0	61	30.2	110	115
90 - 110	3	16	RV0AMP90I	25	-	12.56	51.0	61	33.3	113	115
90 - 110	4	16	RV0AMP90L	16	-	7.53	51.0	61	39.3	118	115
110 - 125	3	10	RV0AMP91I	40	-	7.94	61.0	66	33.3	115	130
110 - 125	4	10	RV0AMP91L	32	-	7.94	61.0	66	39.3	120	130
110 - 125	5	10	RV0AMP91N	32	-	8.07	61.0	66	40.0	120	130
125 - 140	5	10	RV0AMP92N	24	-	13.36	69.0	71	74.0	145	




Adaptor lipire/F.E. PVC-U



PF 2 01 951 011

d [mm]	FE [inch]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	E [mm]	L [mm]	O [mm]
75	2 ½	2 ½	16	RV0ADP75H	72	-	3.00	44	30.2	89	42	90
90	3		16	RV0ADP90I	40	-	3.93	51	33.3	106	46	110
110	4		16	RV0ADP91L	35	-	5.54	61	39.3	129	51	130


Adaptor lipire/F.I. PVC-U



PF 2 01 951 011

d [mm]	FI [inch]	d [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	E [mm]	L [mm]
16	¾		16	RV0AFP16A	10	600	0.55	14	11.4	23	22
20	½		16	RV0AFP20B	10	300	0.51	16	15.0	28	24
20	¾		16	RV0AFP20C	10	240	0.68	16	16.3	34	24
25	½		16	RV0AFP25B	10	220	0.68	19	15.0	28	27
25	¾		16	RV0AFP25C	10	200	0.61	19	16.3	34	27
25	1		16	RV0AFP25D	10	140	0.68	19	19.1	42	27
32	¾		16	RV0AFP32C	10	180	0.68	22	16.3	34	30
32	1		16	RV0AFP32D	10	120	0.78	22	19.1	42	30
40	1		16	RV0AFP40D	100	-	0.87	26	19.1	42	36
40	1 ¼		16	RV0AFP40E	90	-	1.11	26	21.4	51	36
50	1 ¼		16	RV0AFP50E	70	-	1.11	31	21.4	51	41
50	1 ½		16	RV0AFP50F	60	-	1.40	31	21.4	58	41
50	2		16	RV0AFP50G	100	-	1.58	31	25.7	72	41
63	2		16	RV0AFP63G	80	-	1.83	38	25.7	72	48
75	2		16	RV0AFP75G	72	-	3.05	44	25.7	72	53
75	2 ½	2 ½	16	RV0AFP75H	90	-	8.84	44	30.2	89	58
75	3		16	RV0AFP75I	100	-	3.73	44	33.3	103	58
90	2 ½		16	RV0AFP90H	90	-	4.28	51	30.2	89	65
90	3		16	RV0AFP90I	60	-	7.74	51	33.3	103	65
90	4		16	RV0AFP90L	52	-	6.16	51	39.3	130	65
110	3		16	RV0AFP91I	52	-	6.16	61	33.3	103	76
110	4		16	RV0AFP91L	45	-	14.87	61	39.3	130	76

Olandez lipire/F.E. cu o-ring PVC-U




PF 2 01 951 011

d [mm]	FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	L1 [mm]	H [mm]	Z [mm]	F [inch]	E [mm]
25	¾	16	RV0BMP25C	10	100	1.80	19	16.3	44	3	1 ¼	52
32	1	16	RV0BMP32D	40	-	2.13	22	19.1	48	3	1 ½	59
40	1 ¼	16	RV0BMP40E	40	-	2.78	26	21.4	54	3	2	72
50	1 ½	16	RV0BMP50F	60	-	2.81	31	22.0	58	3	2 ¼	79
50	2	16	RV0BMP50G	60	-	2.81	31	26.0	58	3	2 ¼	79
63	2	16	RV0BMP63G	36	-	3.90	38	26.0	66	3	2 ¾	96




Olandez PVC-U lipire/Alama F.I.



PF 2 01 950 013

d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	L1 [mm]	Z [mm]	E [mm]	E1 [mm]
16	3/8	16	RV0BMF16A	170	-	5.61	14	11	10	20	30.0
20	1/2	16	RV0BMF20B	70	-	6.12	16	15	11	25	38.0
25	3/4	16	RV0BMF25C	50	-	7.64	19	15	14	32	47.0
32	1	16	RV0BMF32D	40	-	10.19	22	16	12	38	55.0
40	1 1/4	16	RV0BMF40E	25	-	14.07	26	19	13	48	65.0
50	1 1/2	16	RV0BMF50F	25	-	20.39	31	21	13	54	72.0
63	2	16	RV0BMF63G	15	-	26.50	38	25	14	66	88.0


Olandez PVC-U lipire/Alama F.E.



PF 2 01 950 013

d [mm]	FE [inch]	PN	Cod	SP	GP	P.U.(EUR)	L [mm]	L1 [mm]	Z [mm]	E [mm]	E1 [mm]
16	3/8	16	RV0BMM16A	115	-	6.85	14	11	35	20	30.0
20	1/2	16	RV0BMM20B	95	-	8.32	16	12	41	25	38.0
25	3/4	16	RV0BMM25C	50	-	9.02	19	15	45	32	47.0
32	1	16	RV0BMM32D	40	-	13.89	22	19	47	38	55.0
40	1 1/4	16	RV0BMM40E	25	-	18.13	26	21	55	48	65.0
50	1 1/2	16	RV0BMM50F	24	-	25.38	31	21	57	54	72.0
63	2	16	RV0BMM63G	15	-	34.19	38	25	68	66	88.0

Adaptor 3 diametre lipire/F.I. PVC-U




PF 2 01 951 011

d-d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	L3 [mm]	Z [mm]	E [mm]
20 - 25	1/2	16	RV0MFP25B	10	200	0.93	16	19	15.0	12	28
25 - 32	3/4	16	RV0MFP32C	10	150	1.07	19	22	16.3	13	34
32 - 40	1	16	RV0MFP40D	130	-	1.20	22	26	19.1	14	42
40 - 50	1 1/4	16	RV0MFP50E	110	-	1.37	26	31	21.4	16	51
50 - 63	1 1/2	16	RV0MFP63F	80	-	1.77	31	38	21.4	18	58
63 - 75	2	16	RV0MFP75G	70	-	3.43	38	44	25.7	18	72
75 - 90	2 1/2	16	RV0MFP90H	90	-	5.07	44	51	30.2	21	89
90 - 110	3	16	RV0MFP91I	50	-	6.79	51	61	33.3	25	103



PVC-U fittinguri de tranzitie Cu ranfosrare


Teu cu derivatie filetata F.I. PVC-U



PF 2 01 951 012

d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	E1 [mm]	E2 [mm]
16	3/8	16	RV0TTP16A	10	280	1.31	14	11.4	9	11.6	23.0	25.0
20	1/2	16	RV0TTP20B	10	150	1.23	16	15.0	11	12.0	28.0	30.0
25	3/4	16	RV0TTP25C	10	100	1.28	19	13.3	14	16.7	34.0	35.0
32	1	16	RV0TTP32D	10	100	1.53	22	19.1	17	19.9	42.0	45.0
40	1 1/4	16	RV0TTP40E	80	-	2.24	26	21.4	21	25.6	51.0	55.0
50	1 1/2	16	RV0TTP50F	50	-	3.11	31	21.4	26	35.6	61.0	65.0
63	2	16	RV0TTP63G	20	-	3.82	38	25.7	33	45.3	75.0	75.0



Mufa lipire/F.I. PVC-U



PF 2 01 951 012

d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	E1 [mm]	E2 [mm]
16	3/8	16	RV0MMP16A	10	500	1.11	14	11.4	6	23.0	25.0
20	1/2	16	RV0MMP20B	10	250	1.23	16	15.0	4	28.0	30.0
25	3/4	16	RV0MMP25C	10	200	1.45	19	16.3	6	34.0	35.0
32	1	16	RV0MMP32D	10	120	1.41	22	19.1	6	42.0	45.0
40	1 1/4	16	RV0MMP40E	100	-	2.07	26	21.4	8	51.0	55.0
50	1 1/2	16	RV0MMP50F	60	-	2.07	31	21.4	13	61.0	65.0
63	2	16	RV0MMP63G	80	-	2.37	38	25.7	15	75.0	75.0

Cot lipire/F.I. 90° PVC-U




PF 2 01 951 012

d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z1 [mm]	Z2 [mm]	E1 [mm]	E2 [mm]
16	3/8	16	RV0GGP16A	10	360	1.20	14	11.4	9	11.6	23.0	25.0
20	1/2	16	RV0GGP20B	10	200	1.20	16	15.0	11	12.0	28.0	30.0
25	3/4	16	RV0GGP25C	10	160	1.45	19	16.3	14	16.7	34.0	35.0
32	1	16	RV0GGP32D	10	80	1.77	22	19.1	17	19.9	42.0	45.0
40	1 1/4	16	RV0GGP40E	130	-	2.18	26	21.4	21	25.6	51.0	55.0
50	1 1/2	16	RV0GGP50F	70	-	3.00	31	21.4	26	35.6	61.0	65.0
63	2	16	RV0GGP63G	40	-	4.36	38	25.7	33	45.3	75.0	75.0



Adaptor lipire/F.I. PVC-U



PF 2 01 951 012

d [mm]	FI [inch]	PN	Cod	SP	GP	P.U.(EUR)	L1 [mm]	L2 [mm]	Z [mm]	E2 [mm]
16	3/8	16	RV0AAP16A	10	600	1.09	14	11.4	22	25.0
20	1/2	16	RV0AAP20B	10	300	1.20	14	15.0	22	30.0
20	3/4	16	RV0AAP20C	10	240	1.31	16	15.0	24	30.0
25	1/2	16	RV0AAP25B	10	220	1.31	16	16.3	24	35.0
25	3/4	16	RV0AAP25C	10	200	1.41	19	15.0	27	30.0
25	1	16	RV0AAP25D	10	140	1.50	19	16.3	27	35.0
32	3/4	16	RV0AAP32C	10	180	1.55	19	19.1	27	45.0
32	1	16	RV0AAP32D	10	120	1.61	22	16.3	30	35.0
40	1	16	RV0AAP40D	100	-	1.69	22	19.1	30	45.0
40	1 1/4	16	RV0AAP40E	90	-	1.94	26	19.1	36	45.0
50	1 1/4	16	RV0AAP50E	70	-	1.99	26	21.4	36	55.0
50	1 1/2	16	RV0AAP50F	60	-	2.24	31	21.4	41	55.0
50	2	16	RV0AAP50G	90	-	2.20	31	21.4	41	60.0
63	2	16	RV0AAP63G	80	-	2.94	31	25.7	41	75.0
75	2	16	RV0AAP75G	164	-	3.90	38	25.7	48	75.0

Suport teava din polipropilena



PF 2 01 950 013

d [mm]	Cod	SP	GP	P.U.(EUR)
16	APOSPT160	20	500	0.97
20	APOSPT200	20	1100	1.18
25	APOSPT250	20	1000	1.39
32	APOSPT320	20	560	1.66
40	APOSPT400	10	280	2.20
50	APOSPT500	10	400	2.68
63	APOSPT630	10	300	3.16
75	APOSPT750	10	150	5.15
90	APOSPT900	10	120	6.86
110	APOSPT910	10	100	8.04
125	APOSPT920	10	50	9.68
140	APOSPT930	10	30	11.90
160	APOSPT940	10	20	14.80

O-ring

Compatibil cu for BOI/BOF/BOP/BOM



d [mm]	EPDM Code	SP	GP	P.U.(EUR)
16	1ORD03062	-	-	0.08
20	1ORD04081	-	-	0.12
25	1ORD04112	-	-	0.19
40	1ORD06162	-	-	0.19
50	1ORD06187	-	-	0.34
63	1ORD06237	-	-	0.38
75	1ORD06312	-	-	0.44
90	1ORD06362	-	-	0.67
110	1ORD06450	-	-	0.86

